





Nerezové lana


Nerezové lano 7 × 7

DIN 3055	Průměr lana mm	Hmotnost kg/100m	Výp. pevnost kN	Min. pevnost kN
	1	0,39	0,67	0,56
	1,5	0,88	1,51	1,27
	2	1,60	2,70	2,26
	2,5	2,46	4,20	3,52
	3	3,60	6,03	5,05
	4	6,30	10,80	8,98
	5	9,90	16,80	14,00
6	14,20	24,20	20,30	

Nerezové lano 7 × 19

DIN 3060	Průměr lana mm	Hmotnost kg/100m	Výp. pevnost kN	Min. pevnost kN
	2,5	2,38	4,07	3,26
	3	3,40	5,84	4,66
	4	6,10	10,40	8,34
	5	9,50	16,30	13,00
	6	13,80	23,40	18,70
	8	24,30	41,70	33,30
	10	38,10	65,10	52,10

Nerezové lano 1 × 7

DIN 3053	Průměr lana mm	Hmotnost kg/100m	Výp. pevnost kN	Min. pevnost kN
	1,0	0,495	0,937	0,825
	1,5	1,11	2,11	1,86
	2,0	1,98	3,75	3,30
	2,5	3,10	5,86	5,15
	3,0	4,46	8,43	7,42
	4,0	7,93	15,00	13,20
	5,0	12,40	23,40	20,60
6,0	17,80	33,70	29,70	

